



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/500,014

06/23/2004

Makoto Funabiki

MAT-8566US

9072

23122 7590 05/09/2011
RATNERPRESTIA
P.O. BOX 980
VALLEY FORGE, PA 19482

EXAMINER

ANDREWS, LEON T

ART UNIT

PAPER NUMBER

2462

MAIL DATE

DELIVERY MODE

05/09/2011

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/500,014	Applicant(s) FUNABIKI ET AL.	
	Examiner LEON ANDREWS	Art Unit 2462	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 April 2011.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,4,7,8,15-21 and 24-30 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3,4,7,8,15-21 and 24-30 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Withdrawal of Finality

1. Finality of the Office action has been withdrawn in view of applicant's arguments of April 4, 2011. However, with the new grounds of rejection using new prior art, the arguments are moot.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. **Claims 1, 3-4, 7-8, 15-21 and 24-30** are being rejected under 35 U.S.C. 103 (a) as being unpatentable by Gwon (Pub. No.: US 2003/0016655 A1) in view of Agrawal et al. (Pub. No.: US 2004/0024901 A1), Warriar et al. (Patent No.: US 6,707,809 B1) and Leung (Patent No.: US 6,195,705 B1).

Regarding Claim 1, Gwon discloses a mobile node (Fig. 1, mobile node 135)

comprising:

a measuring section (Mobile IP version 6 route optimization, paragraph [0055], page 6, lines 2-3) for measuring a first value of a hop number or a communication delay time (calculation requiring at most five hops and delay of about 80-100 msec during packet routing, paragraph [0055], page 6, lines 1-5) between a mobile node and a belonging agent (Fig. 1, mobile node 135, home agent (HA)) to which the mobile node belongs, wherein the belonging home agent registers a care-of address that the mobile node is utilizing for communication (new “care of” IP address is registered with the home area (HA) by the mobile node 135, paragraph [0050], page 5, lines 10-12), and the belonging home agent forwards messages directed to a home address of the mobile node to the care-of address (packets (messages) transmitted to the home IP address of the mobile node 135 will be tunneled by the home area (HA) to the mobile node 135 at its new “care-of” IP address, paragraph [0050], page 6, lines 20-23);

a home agent information acquiring section (Fig. 1, gateway router (GR) 130, maintains current location information for the mobile node, paragraph [0039], page 4, lines 3-5) for acquiring information about a new home agent (Fig. 1, 145) when the first value is equal to or greater than a first predetermined value (at most 5 hops during packet routing, paragraph [0055], page 6, line 5; threshold value selected to indicate hand-off between the mobile node and corresponding node, paragraph [0060], page 7, line 2-6), the acquired information about the new home agent including a second value of a hop number or a communication delay time between the mobile node and the new home agent (end-to-end latency exceeds 250 msec, paragraph [0055], page 6, lines 10-11); and

Art Unit: 2462

a home agent selecting section (Fig. 5, L3MP mobility prediction, 710) for changing from the belonging home agent to the new home agent when the second value is less than the first value, the belonging home agent and the new home agent being associated to a same home network of the mobile node, wherein the new home agent forwards messages directed to the home address of the mobile node to the care-address (packets (messages) transmitted to the home IP address of the mobile node 135 will be tunneled by the home area (HA) to the mobile node 135 at its new “care-of” IP address, paragraph [0050], page 6, lines 20-23) after the change.

Gwon fails to disclose the value of a hop number between the mobile node and belonging home agent to which the mobile node belongs, and information about the new home agent when the first predetermined value is greater than the predetermined value including a second value of a hop number or delay between the mobile node and the new home agent with the second value being less than the first value.

But, Agrawal et al. discloses mobile node and its home agent are separated by many hops, and when the mobile nodes changes to foreign network home agent the latency and delay is reduced (i.e. first predetermined value is greater than the second), paragraphs [0030], [0063], pages 3, 6, lines 4-6, 1-8.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use Agrawal et al.'s limitation because this would have allowed the data to travel the path from the mobile node to the home agent, paragraph [0030], page 3, lines 7-8.

The combination of Gwon and Agrawal et al. fails to disclose the selecting from the belonging home agent to a new home agent.

But, Warriar et al. discloses in Fig. 2, home agent control mode performs home agent functions with plurality of home agents 18, 18A and 18B whereby home agent 18 (new home agent) performs tunneling for the mobile node and forwards packets of data from the WAP server of home agent, home radius 38 assigned to home network 14 to the foreign agent 16 for transmission to the mobile node 10, columns 5 and 6, lines 58-67 and lines 1-3 respectively.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use Warriar et al.'s selecting from the belonging home agent to a new home agent because this would have allowed the home agent 18 (new home agent) to forward packets of data to the mobile node 10, columns 5 and 6, lines 66-67 and lines 1-3 respectively.

And, the combination of Gwon, Agrawal et al. and Warriar et al. fails to disclose the belonging home agent and the new home agent being associated to a same home network of the mobile node.

But, Leung discloses in Fig. 2A, the belonging home agent (HA1) and the new home agent (HA2, HA3) being associated to a same home network (home network 12) of the mobile node (Mobile Nodes 6, 27).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use Leung's belonging home agent and the new home agent being associated to a same home network of the mobile node because this would have allowed the original active Home Agent to relinquish its active status and revert to the new Home Agent, column 17, lines 58-60.

Regarding Claim 3, Gwon discloses a mobile node according to claim 1, wherein the measuring section determines the hop number by computing a difference ((IP version 6 requires at most five hops during packet routing, paragraph [0055], page 6, lines 2-5) - (Fig. 4, hops from mobile node 135 to correspondent node FA is 2 (2 times 720)) between an initial value of a hop limit field in a header of a packet of IP version 6 (IP

version 6 requires at most five hops during packet routing, paragraph [0055], page 6, lines 2-5) sent from the belonging home agent and a value of the hop limit field (Fig. 4, hops from mobile node 135 to correspondent node FA is 2 (2 times 720) received.

Regarding Claim 4, Gwon discloses a mobile node according to claim 1, wherein the measuring section determines the hop number by computing a difference between an initial value of a hop limit field in a header of a packet of IP version 6 sent from the home agent and a value of the hop limit field received ((IP version 6 requires at most five hops during packet routing, paragraph [0055], page 6, lines 2-5) - (Fig. 4, hops from mobile node 135 to correspondent node FA is 2 (2 times 720))).

Regarding Claim 7, Gwon discloses a mobile node according to claim 1, wherein the measuring section increases a measuring frequency of communication delay time when the moving speed of the mobile node is high, and decreases the measuring frequency when the moving speed is low (velocity and direction of movement of the various mobile nodes predict the duration of time neighboring nodes can remain in communication, paragraph [0021], page 3, lines 5-7).

Regarding Claim 8, Gwon discloses a mobile node according to claim 3, wherein the measuring section sends an ICMP echo request packet when the number of times of connection changes to the access router (mobile node 135 sends ICMP HA request to its home router to determine if the home router IP address configuration has changed before beginning the pre-registration process 720 as specified in the mobile IP version 6

document, paragraph [0078], page 8, lines 5-10) becomes an integer (cast address, paragraph [0078], page 8, line 7) times a fifth predetermined value (pre-registration 720, paragraph [0078], page 8, lines 9-10).

Regarding Claim 15, Gwon discloses a home agent (Fig. 4, Home Agent (HA) 145)

comprising:

a home agent information acquiring section obtaining information on a new home agent when a first value of a hop number or a communication delay time between a mobile node and a home agent is equal to or greater than a predetermined value, the obtained information including a second value of a hop number or communication delay time between the mobile node and the new home agent (during the time that the mobile node leaves the home area and established link with a new agent, the mobile updates communication identifying the new address where the routing optimization topology in the range of 80-100 msec requires at most 5 hops which is exceeded with the total end-to-end exceeding 250 msec, paragraphs [0054], [0055], page 6, lines 15-20, 3-11); and a home agent information notifying section (Fig. 4, home agent 145 notifies the correspondent node to update its binding information for the mobile node, paragraph [0079], page 8, lines 6-8) for notifying a new home agent of an entry content concerning the mobile node of a binding cache (home agent 145 to update the binding cache to bind the mobile node's new care-of address to its home address, paragraph [0079], page 8, lines 3-5), in response to receiving a notification from the mobile node (Fig. 4, mobile node 135) to change from the home agent to the new home agent (new care-of IP address to its home IP address, paragraph [0079], page 8, lines 4-5), the notification being

Art Unit: 2462

received from the mobile node when, in the response to receiving the obtained information, the mobile node determines that the second value is less than the first value, the home agent and the new home agent being associated to a same home network of the mobile node, wherein the new home agent registers a care-of address that the mobile node is utilizing for communication (new “care of” IP address is registered with the home area (HA) by the mobile node 135, paragraph [0050], page 5, lines 10-12), and after the change the new home agent forwards messages directed to a home address of the mobile node to the care-of address (packets (messages) transmitted to the home IP address of the mobile node 135 will be tunneled by the home area (HA) to the mobile node 135 at its new “care-of” IP address, paragraph [0050], page 6, lines 20-23).

The limitation of “delay between the mobile node and the new home agent is less than the first delay between the mobile node and the home agent” is addressed in the rejection of claim 1.

The limitation of “a change-to home agent” is addressed in the rejection of claim 1.

The limitation of “the home agent and the changed-to home agent being associated to a same home network of the mobile node” is addressed in the rejection of claim 1.

Regarding Claim 16, Gwon discloses an access router (Fig. 2, routers, R1, R2)

comprising:

a home agent information storing section (home agents/local agents 145 store IP addresses of intermediary nodes, paragraph [0080], page 9, lines 19-21) for storing home agent information including an address of a home agent (home agents/local agents 145 store IP addresses of intermediary nodes used for further communications between the mobile node 135 and the corresponding node 140, paragraph [0080], page 9, lines 19-25); and

a home agent information notifying section (Fig. 4, home agent 145 notifies the correspondent node 140 to update its binding information for the mobile node, paragraph [0079], page 8, lines 6-8) for notifying a mobile node (Fig. 4, mobile node 135), as a slave, of home agent information about another neighboring home agent (Fig. 4, Home Agent (HA) 145) stored in the home agent information storing section (home agents/local agents 145 store IP addresses of intermediary nodes, paragraph [0080], page 9, lines 19-21), the home agent and the neighboring home agent being associated to a same home network of the mobile node, wherein the mobile node obtains the home agent information about the neighboring home agent when a first value of a hop number or a communication delay time between the mobile node and the home agent is equal to or greater than a predetermined value (during the time that the mobile node leaves the home

area and established link with a new agent, the mobile updates communication identifying the new address where the routing optimization topology in the range of 80-100 msec requires at most 5 hops which is exceeded with the total end-to-end exceeding 250 msec, paragraphs [0054], [0055], page 6, lines 15-20, 3-11), and changes from the home agent to the neighboring home agent (new care-of IP address to its home IP address, paragraph [0079], page 8, lines 4-5) when a second value of a hop number or communication delay between the mobile node and the neighboring home agent (delays due to pre-established and new routes are greatly reduced, paragraph [0027], page 3, lines 12-17; delay in the binding updates in new route with the home agent, paragraph [0055], column 6, lines 4-6), included in the home agent information, is less than the first value, the neighboring home agent registers a care-of address that the mobile node is utilizing for communication (new “care of” IP address is registered with the home area (HA) by the mobile node 135, paragraph [0050], page 5, lines 10-12), and after the change the neighboring home agent forwards messages directed to a home address of the mobile node to the care-of address (packets (messages) transmitted to the home IP address of the mobile node 135 will be tunneled by the home area (HA) to the mobile node 135 at its new “care-of” IP address, paragraph [0050], page 6, lines 20-23).

The limitation of “delay between the mobile node and the new home agent is less than the first delay between the mobile node and the home agent” is addressed in the rejection of claim 1.

Art Unit: 2462

The limitation of “changes to the neighboring home agent” is addressed in the rejection of claim 1.

The limitation of “the home agent and the neighboring home agent being associated to a same home network of the mobile node” is addressed in the rejection of claim 1.

Regarding Claim 17, Gwon discloses an access router according to claim 16, wherein the home agent information notifying section (Fig. 4, home agent 145 notifies the correspondent node 140 to update its binding information for the mobile node, paragraph [0079], page 8, lines 6-8) notifies the mobile node of home agent information (Fig. 4, home agent 145 information for the mobile node, paragraph [0079], page 8, lines 6-8) when requested from the mobile node (Fig. 4, mobile node 135).

Regarding Claim 18, Gwon discloses an access router according to claim 16, wherein the home agent information notifying section (Fig. 4, home agent 145 notifies the correspondent node 140 to update its binding information for the mobile node, paragraph [0079], page 8, lines 6-8) periodically notifies the mobile node of home agent information (home agent 145 updates the mobile node’s IP address to the home IP address, paragraph [0079], page 8, lines 3-5).

Regarding Claim 19, Gwon discloses a home agent information storing server (servers of various types, paragraph [0006], page 1, line 8) comprising:

a home agent information storing section (home agents/local agents 145 store IP addresses of intermediary nodes, paragraph [0080], page 9, lines 19-21) for holding home

agent information including an address of a home agent (Fig. 4, Home Agent (HA) 145) which the home agent information storing server manages (Fig. 2, server);

a home agent information notifying section (Fig. 4, home agent 145 notifies the correspondent node 140 to update its binding information for the mobile node, paragraph [0079], page 8, lines 6-8) for notifying any one of a mobile node (Fig. 4, mobile node 135), access router (Fig. 2, routers, R1, R2) and home agent (Fig. 4, Home Agent (HA) 145) in connection to a network (Fig. 4, data network 100) of the home agent information (Fig. 4, home agent 145 information for the mobile node, paragraph [0079], page 8, lines 6-8) selected from the home agent information storing section (home agents/local agents 145 store IP addresses of intermediary nodes, paragraph [0080], page 9, lines 19-21), wherein when the home agent information storing server receives a notification from the mobile node for changing from the home agent to a new home agent (new care-of IP address to its home IP address updated by the home agent 145, paragraph [0079], page 8, lines 3-5), when in response to the mobile node obtaining information on the new home agent when a first value of a hop number or a communication delay time between a mobile node and the home agent is equal to or greater than a predetermined value (during the time that the mobile node leaves the home area and established link with a new agent, the mobile updates communication identifying the new address where the routing optimization topology in the range of 80-100 msecs requires at most 5 hops which is exceeded with the total end-to-end exceeding 250 msecs, paragraphs [0054], [0055], page 6, lines 15-20, 3-11), and determining that a second value of a hop number or a communication delay between the mobile node and the new home agent (delays due to pre-established and new routes are

Art Unit: 2462

greatly reduced, paragraph [0027], page 3, lines 12-17; delay in the binding updates in new route with the home agent, paragraph [0055], column 6, lines 4-6), included in the obtained information, is less than the first value, the home agent information storing server notifies the home agent of the new home agent (home agent 145 to notify of the new care-of address information to its home address, paragraph [0079], page 8, lines 4-7), the home agent and the new home agent being associated to a same home network of the mobile node, and

wherein the new home agent registers a care-of address that the mobile node is utilizing for communication (new “care of” IP address is registered with the home area (HA) by the mobile node 135, paragraph [0050], page 5, lines 10-12), and after the change the new home agent forwards messages directed to a home address of the mobile node to the care-of address (packets (messages) transmitted to the home IP address of the mobile node 135 will be tunneled by the home area (HA) to the mobile node 135 at its new “care-of” IP address, paragraph [0050], page 6, lines 20-23).

The limitation of “delay between the mobile node and the new home agent is less than the first delay between the mobile node and the home agent” is addressed in the rejection of claim 1.

The limitation of “the server notifies the home agent of the change-to home agent” is addressed in the rejection of claim 1.

The limitation of “the home agent and the changed-to home agent being associated to a same home network of the mobile node” is addressed in the rejection of claim 1.

Regarding Claim 20, Gwon discloses a home agent information storing server according to claim 19, wherein the home agent information storing section (home agents/local agents 145 store IP addresses of intermediary nodes, paragraph [0080], page 9, lines 19-21) further holds any one piece of information of current unoccupied resource (current Internet addressing and routing protocols and schemes to accommodate network access and data communication by wireless mobile node, paragraph [0018], page 2, lines 2-4) and load (data communication loads, paragraph [0009], page 1, lines 14-17) of the managing home agent (Fig. 4, Home Agent (HA) 145).

Regarding Claim 21, Gwon discloses a home agent information storing server according to claim 20, further comprising a home agent information acquiring section (Fig. 1, gateway router (GR) 130, maintains current location information for the mobile node, paragraph [0039], page 4, lines 3-5) for receiving the information from the managing home agent (Fig. 4, Home Agent (HA) 145) and updating the home agent information storing section (home agents/local agents 145 store IP addresses of intermediary nodes, paragraph [0080], page 9, lines 19-21).

Regarding Claim 24, Gwon discloses an access router (Fig. 2, routers, R1, R2) according to claim 16, further comprising a home agent information acquiring section

(Fig. 1, gateway router (GR) 130, maintains current location information for the mobile node, paragraph [0039], page 4, lines 3-5) for getting the home agent information (Fig. 4, home agent 145 information for the mobile node, paragraph [0079], page 8, lines 6-8) from the home agent information storing server (servers of various types, paragraph [0006], page 1, line 8):

a home agent information storing section (home agents/local agents 145 store IP addresses of intermediary nodes, paragraph [0080], page 9, lines 19-21) for holding home agent information including an address of a managing home agent (Fig. 4, Home Agent (HA) 145); and

a home agent information notifying section (Fig. 4, home agent 145 notifies the correspondent node 140 to update its binding information for the mobile node, paragraph [0079], page 8, lines 6-8) for notifying any one of a mobile node (Fig. 4, mobile node 135), access router (Fig. 2, routers, R1, R2) and home agent (Fig. 4, Home Agent (HA) 145) in connection to a network (Fig. 4, data network 100) of the home agent information (Fig. 4, home agent 145 information for the mobile node, paragraph [0079], page 8, lines 6-8) selected from the home agent information storing section (home agents/local agents 145 store IP addresses of intermediary nodes, paragraph [0080], page 9, lines 19-21);

wherein the home agent information storing section further holds any one piece of information of current unoccupied resource (current Internet addressing and routing protocols and schemes to accommodate network access and data communication by wireless mobile node, paragraph [0018], page 2, lines 2-4) and load (data communication loads, paragraph [0009], page 1, lines 14-17) of the managing home agent (Fig. 4, Home Agent (HA) 145).

Regarding Claim 25, Gwon discloses a mobile node (Fig. 1, mobile node 135) according to claim 1, wherein the home agent information acquiring section (Fig. 1, gateway router (GR) 130, maintains current location information for the mobile node, paragraph [0039], page 4, lines 3-5) gets the home agent information (Fig. 4, home agent 145 information for the mobile node, paragraph [0079], page 8, lines 6-8) from the home agent information storing server (servers of various types, paragraph [0006], page 1, line 8):

a home agent information storing section (home agents/local agents 145 store IP addresses of intermediary nodes, paragraph [0080], page 9, lines 19-21) for holding home agent information including an address of a managing home agent (Fig. 4, Home Agent (HA) 145); and

a home agent information notifying section (Fig. 4, home agent 145 notifies the correspondent node 140 to update its binding information for the mobile node, paragraph [0079], page 8, lines 6-8) for notifying any one of a mobile node (Fig. 4, mobile node 135), access router (Fig. 2, routers, R1, R2) and home agent (Fig. 4, Home Agent (HA) 145) in connection to a network (Fig. 4, data network 100) of the home agent information (Fig. 4, home agent 145 information for the mobile node, paragraph [0079], page 8, lines 6-8) selected from the home agent information storing section (home agents/local agents 145 store IP addresses of intermediary nodes, paragraph [0080], page 9, lines 19-21);

wherein the home agent information storing section further holds any one piece of information of current unoccupied resource (current Internet addressing and routing protocols and schemes to accommodate network access and data communication by wireless mobile node, paragraph [0018], page 2, lines 2-4) and load (data communication

loads, paragraph [0009], page 1, lines 14-17) of the managing home agent (Fig. 1, Home Agent (HA) 145, paragraph [0038], page 4, line 9).

Regarding Claim 26, Gwon discloses a mobile node (Fig. 1, mobile node 135) according to claim 1, wherein the home agent information acquiring section (Fig. 1, gateway router (GR) 130, maintains current location information for the mobile node, paragraph [0039], page 4, lines 3-5) gets information about a home agent (Fig. 1, mobile node 135) notified from the home agent comprising:

a home agent information notifying section (Fig. 4, home agent 145 notifies the correspondent node 140 to update its binding information for the mobile node, paragraph [0079], page 8, lines 6-8) for answering a registration refusal (home agent does not grant the registration request, paragraph [0077], page 8, lines 10-11) in a case that, when receiving a registration request (home agent/foreign agent 145 communicates the registration request, paragraph [0077], page 8, lines 3-4) from a mobile node (Fig. 1, mobile node 135), the home agent is deficient in unoccupied resource (deficiencies of the current Internet addressing and routing protocols and schemes to accommodate network access and data communication by wireless mobile node, paragraph [0018], page 2, lines 2-4); and

a home agent information storing section (home agents/local agents 145 store IP addresses of intermediary nodes, paragraph [0080], page 9, lines 19-21) for storing home agent information including an address and current resource information of another home agent (home agents/local agents 145 store IP addresses of intermediary nodes used for

further communications between the mobile node 135 and the corresponding node 140, paragraph [0080], page 9, lines 19-25),

wherein the home agent information notifying section answers the registration refusal and selects a home agent (Fig. 1, Home Agent (HA) 145, paragraph [0038], page 4, line 9) suited for a predetermined condition (IP address of direct route resulting from the exchange of greeting packets in its route history cache, paragraph [0080], page 9, lines 20-23) from the home agent information storing section (home agents/local agents 145 store IP addresses of intermediary nodes, paragraph [0080], page 9, lines 19-21) to thereby answer home agent information of the selected home agent (Fig. 1, Home Agent (HA) 145, paragraph [0038], page 4, line 9).

Regarding Claim 27, Gwon discloses a mobile node (Fig. 1, mobile node 135) according to claim 26, wherein the home agent selecting section selects (Fig. 5, L3MP mobility prediction, 710), preferentially, a home agent (Fig. 1, mobile node 145) satisfying at least any of conditions of greatest unoccupied resource (current Internet addressing and routing protocols and schemes to accommodate network access and data communication by wireless mobile node, paragraph [0018], page 2, lines 2-4), minimum load (data communication loads, paragraph [0009], page 1, lines 14-17), least hop number (Fig. 4, 720) and shortest communication delay time (access delay due to variable wireless link conditions, paragraph [0055], page 6, line 9).

Regarding Claim 28, Gwon discloses a method (methodology recommended for mobile IP version 6 mobile nodes, paragraph [0048], page 5, lines 2-5) for mobile

communications between the mobile node 135 and the corresponding node 140, paragraph [0080], page 9, lines 23-25) comprising:

a step of measuring (Mobile IP version 6 route optimization, paragraph [0055], page 6, lines 2-3) a first value of a hop number (Fig. 4, 720) or a communication delay time (codec, packet formation, propagation and unknown access delays due to high variable wireless link conditions, paragraph [0055], page 6, lines 6-9) between a mobile node and a belonging home agent (Fig. 1, mobile node 145) to which the mobile node (Fig. 1, mobile node 135) belongs;

a step of acquiring information about a new home agent when a first value is equal to or greater than a predetermined value, the acquired information about the new home agent including a second value of a hop number or communication delay time between the mobile node and the new home agent (during the time that the mobile node leaves the home area and established link with a new agent, the mobile updates communication identifying the new address where the routing optimization topology in the range of 80-100 msec requires at most 5 hops which is exceeded with the total end-to-end exceeding 250 msec, paragraphs [0054], [0055], page 6, lines 15-20, 3-11);

a step of requesting (Fig. 5, L3MP mobility prediction, 710) the belonging home agent (Fig. 5, Home Agent (HA) to delete from a memory device registration (Fig. 5, registration 720) of the mobile node (mobility prediction (of deleting) carried out by the facilities of the mobile node 135 to the stored programming, paragraph [0059], page 7, lines 10-12) and requesting the new home agent to store in another memory registration of the mobile node (local agent 145 for mobile node 135 store newly-established route in its cache for further communications between the mobile node 135 and the corresponding

node, paragraph [0080], page 9, lines 19-25), when the second value is less than the first value;

a step of deleting from the memory device a registration (Fig. 5, registration 720) of the mobile node by the belonging home agent (Fig. 5, Home Agent (HA)); and

a step of registering (Fig. 5, pre-register 720) the mobile node by the new home agent (plurality of agents 145, paragraph [0038], page 4, line 6), the belonging home agent and the new home agent being associated to a same home network of the mobile node,

wherein the new home agent registers a care-of address that the mobile node is utilizing for communication (new “care of” IP address is registered with the home area (HA) by the mobile node 135, paragraph [0050], page 5, lines 10-12), and after the registering step the new home agent forwards messages directed to a home address of the mobile node to the care-of address (packets (messages) transmitted to the home IP address of the mobile node 135 will be tunneled by the home area (HA) to the mobile node 135 at its new “care-of” IP address, paragraph [0050], page 6, lines 20-23).

The limitation of “delay between the mobile node and the new home agent is less than the first delay between the mobile node and the home agent” is addressed in the rejection of claim 1.

The limitation of “a new home agent” is addressed in the rejection of claim 1.

The limitation of “the belonging home agent and the new home agent being associated to a same home network of the mobile node” is addressed in the rejection of claim 1.

Regarding Claim 29, Gwon discloses a method for mobile communications according to claim 28, wherein as the new home agent is selected preferentially a home agent (Fig. 1, home agent 145) satisfying at least any of conditions of greatest unoccupied resource (current Internet addressing and routing protocols and schemes to accommodate network access and data communication by wireless mobile node, paragraph [0018], page 2, lines 2-4), minimum load (data communication loads, paragraph [0009], page 1, lines 14-17), least hop number (Fig. 4, 720) and shortest communication delay time (access delay due to variable wireless link conditions, paragraph [0055], page 6, line 9), minimum load (data communication loads, paragraph [0009], page 1, lines 14-17), least hop number (Fig. 4, 720) and shortest communication delay time (access delay due to variable wireless link conditions, paragraph [0055], page 6, line 9).

Regarding Claim 30, Gwon discloses a method for mobile communications according to claim 29, wherein the new home agent is notified from a home agent information managing server (servers of various types, paragraph [0006], page 1, line 8) for managing information about home agents (Fig. 1, home agent 145) to the mobile node (Fig. 1, mobile node 135).

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leon Andrews whose telephone number is (571) 270-1801. The examiner can normally be reached on Monday through Friday 7:30 AM to 5:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rao S. Seema can be reached on (571) 272-3174. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kevin C. Harper/

Primary Examiner, Art Unit 2462

/Leon Andrews/
Examiner, Art Unit 2462
May 5, 2011

